

## Mini C ViP and WIRES

THE MINI SERIES IS COMPLETED WITH THE NEW IP VERSIONS









MINI Handset and Handsfree. Essential design at its most refined.









In addition to the features shared with 2-wire versions, the ViP versions offer all the advantages of IP technology Mini C

RINGTONE WALL MOUNTING USING THE BACKPLATE SUPPLIED **VOLUME CONTROL** ..... ..... DIGITAL AUDIO AND VIDEO WITH H264 ENCODING × = 钠 62 2 4.3" 16/9 COLOUR DISPLAY intercom function Cameras Actuators WITH 480x272 RESOLUTION 5 ..... Open doors Memory setup Videomemory SOFT TOUCH KEYS WITH 3 09:32 D ACOUSTIC FEEDBACK 14/09/2016 Call divert Multiple address ..... «Comelif INTEGRATED HEARING LOOP \_\_\_\_\_ FULL DUPLEX AUDIO WITH CALL RESPONSE PRIVACY (LED) MENU BUTTON - EXIT LOCK-RELEASE: BACKLIT BUTTON (LED) 3 55 2 ..... 1 PROGRAMMABLE FUNCTION BUTTONS .....

▲ ▼ NAVIGATION ✓ CONFIRM MESSAGES


## Installation system

The VIP system is the new IP video entry system combining powerful performance with ease of installation. The ViP network, based on Ethernet cable connection, can serve an unlimited number of users in simultaneous conversations and with no distance restrictions. The ViP System can be used to create a dedicated, proprietary network or it can be integrated into an existing LAN, creating a video entry system that runs in parallel with other existing systems.

# Main functions available on the User Menu:

- Directories for
  - intercom calls
  - camera image display
  - operation of actuators to control lights, open gates, etc.
  - control status of doors subject to surveillance
- Answering Machine
- · Call divert by time or when busy
- Language Selection
- Cleaning lock
- Button audible feedback volume adjustment
- Backlighting level adjustment
- Ringtone melody settings

WALL MOUNTING WITH BACKPLATE INCLUDED









Simple lines. Ultra-thin. MINI: nothing more. Nothing less.



D	Ε	S		G	Ν
М	Т	L	А	Ν	0



The Mini series has a clean, essential design that nevertheless offers full range of functions. Both the hands-free version with full-duplex audio and the handset version feature a 4.3" 16/9 colour screen with 480x272 resolution. They both offer colour, contrast and ringtone volume control, in addition to melody customisation. They are equipped as standard with 4 soft-touch buttons for lock-release, self-ignition, switchboard call and privacy function management, and with door status indicator LED.



The ideal solution for small houses, standalone apartment blocks or C-- 1 2 3 4 5 ß

residential complexes.

MONITORS BECOMES **"FULL OPTION"** 



### FEATURES AND FUNCTIONS

						0 0 0 0		
	6700W	6701B	6701W	6721W	6702W *	6722W *		
	0/0011	0701B	0/0111	0/2111	OTOLIN	OTLEN		
GENERAL FEATURES					M			
System Audio or Audio/Video systems	SBT (2 Wires) SBT (2 Wires) SBT (2 Wires) ViP   Audio/Video Audio/Video ViP							
Installation	Wall or Desk mount (with relative accessory)							
Handset/Hands-free	Handset Handfree Handset Handfree							
Induction loop	Yes							
Display size	4,3" 16/9							
Resolution (pixels)	480x272pixel							
Video	B/W Colours							
Colour	White Black White							
Buttons with cap sense technology		6	Ye			-		
Number of standard buttons	4	8	4	5	4	8		
Number of additional buttons	4	Yes	4	3	3	-		
LED indicator lights LED backlight colour	2 2 2 3 2 4							
FUNCTIONS	White							
Actuator control			Ye	25				
Self-ignition control	Yes							
Switchboard call	Yes							
Panic call	Yes							
General intercom call	Yes							
Selective intercom call			Ye					
Multiple address call			Ye	es				
Group address call	-	-	-	-	Ye			
Call divert	Yes							
Privacy Doctor	Yes							
Floor door call	Yes							
Electronic ringtone	Yes Yes							
Customisable ringtone			Ye					
Energy consumption display	-	-	-	-	Ye	es		
Intrusion and technical alarm	-	-	-	-	Yes			
management Text message reception	-	-	-	-	Ye	2S		
Image reception	-	-	-	-	Ye			
ADJUSTABLE								
Speaker volume	Yes							
Microphone volume	Yes							
Ringtone volume	Yes							
Contrast			es		-	-		
Brightness Display backlighting		Ye	es		-	-		
Display backlighting TECHNICAL FEATURES	-	-	-	-	Ye	#S		
Power supply voltage			8Vdc		36÷57V	dc (PoE)		
Minimum absorption (mA)	_	-	-	2	-	-		
Maximum absorption (mA)	200	200	200	325	-	-		
Stand-by absorption (mA)	-	-	-	-	54,94	/ 30mA		
In-call absorption (mA)	-	-	-	-				
In-communication absorption (mA)	-	-	-	-	54,94			
Microphone	-	-	-	6mm omni-direction	-	-		
Loudspeaker	-	-	-	36mm 400hm 1W	-	-		
IP class			3					
Operating temperature (°C)	-5÷40							
Video encoding	PAL / NTSC H.264   0,65 0,533 0,65 0,54							
Weight (kg) Terminals	L L CFP1 CFP2	0,65 L L CFP1 CFP2	L L CFP1 CFP2	0,533 L L CFP1 CFP2	-IN1 IN2 IN3	0,54 -IN1 IN2 IN3		
Network connection	- LL GFP1 GFP2	- LL UFPT UFP2	- LL 0FP1 0FP2	- L L GFP1 GFP2	-1111 1112 1113 RJ			
					110			



#### 6712 - DESK BASE FOR MINI MONITOR

Desk base converts the MINI monitor into a desktop version. Complete with 1 x 2 m labelled RJ45 cable for connecting the monitor terminals to the clasp or to a residential series jack. Dimensions: 145x190x120 mm.



#### 6733W - ADDITIONAL BUTTONS KIT FOR WHITE MINI MONITOR

Accessory for transforming MINI monitors art 6700W-/BM and art. 6701W-/BM into versions with 8 buttons. Includes an 8-button faceplate and an electronic module for activating the buttons, which can be installed quickly without opening up the monitor.



6711W - ADAPTER PLAQUE FOR MINI MONITOR. WHITE Finishing accessory for mounting the MINI monitor when replacing Magis or Genius door entry monitors. Colour: white. Dimensions: 300x260x4 mm.



6719W - SUPPORT BRACKET FOR SBT MINI MONITOR WITH ROUTING FOR EXT. CABLES Wall support bracket for Mini monitor allowing thru-routing of external cables. Dimensions: 164x149.60x19 mm.



6710 - SUPPORT BRACKET FOR SBT MINI MONITOR AND MINI HF WITH ROUTING FOR EXT. CABLES Wall-mounting on residential series box backplate for Mini monitor, //BM versions with handset and handsfree featuring magnetic induction for hearing aid wearers. Also includes riser distribution terminal art. 1214/2C. Dimensions 145x100x4 mm.



#### 6732 - DESK BASE FOR MINI HF MONITOR

Desk base converts the Mini Handsfree monitor into a desktop version. Complete with 1 x 2 m labelled RJ45 cable for connecting the monitor terminals to the clasp or to a residential series jack. Dimensions: 140x190x140 mm.



6734W - ADDITIONAL BUTTONS KIT FOR WHITE MINI HF MONITOR Accessory for transforming Mini Handsfree monitors art 6721W-/BM into versions with 8 buttons. Includes an 8-button faceplate and an electronic module for activating the buttons, which can be installed quickly without opening up the monitor.



6713W - ADAPTER PLAQUE FOR MINI HF MONITOR. WHITE Finishing accessory for mounting the Mini Handsfree monitor when replacing Magis or Genius door entry monitors. Colour: white.



6720 - SUPPORT BRACKET FOR SBT MINI HF MONITOR WITH ROUTING FOR EXT. CABLES Wall support bracket for Mini Handsfree monitor allowing thru-routing of external cables. Dimensions: 106.3x149.60x19 mm.

#### ACCESSORIES FOR MINI AND MINI HANDSFREE - VIP



#### 6712V - DESK BASE FOR VIP MINI MONITOR WITH HANDSET

Desk base converting the ViP system MINI monitor with handset into a desktop version. Complete with 1 x 2 m labelled RJ45 cable for connecting the monitor terminals to the clasp or to a domestic series jack. Dimensions: 145x190x120 mm.



#### 6735W - ADDITIONAL BUTTONS KIT FOR MINI VIP MONITOR

Accessory for transforming Mini ViP monitors art 6702W into versions with 7 buttons. Includes an 7-button faceplate and an electronic module for activating the buttons, which can be installed quickly without opening up the monitor.



#### 6732V - DESK BASE FOR MINI HF VIP MONITOR

Desk base converting the ViP system hands-free Mini monitor into a desktop version. Complete with 1 x 2 m labelled RJ45 cable for connecting the monitor terminals to the clasp or to a residential series jack. Dimensions: 140x190x140 mm.



## www.comelitgroup.com

